# MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product	Name	:	53S
Company			Sojet Electronics (Xiamen) Co.,Ltd. Room 402 4/F, Hong Ye Building,Chuang Ye Park, Torch Hi-Tech Industrial Development Zone, XiaMen, Fujian, China

Tel	Number	: +86-592-5771357		
Fax	Number	: +86-592-5565048		
E-mail		: partner@sojet-tech.com		
Date	Prepared	: May 17, 2015		

2. Composition/Information on Ingredients

#### **Chemical Nature**

Ingredients	Contents (wt%)	CAS No.	EU classification
[lnk]			15
Dye	<10	Confidential	R51/53
Ethanol	<65	64-17-5	R11
1-Propanol	<20	71-23-8	Not classified
Acetone	<3	67-64-1	R11 E36 R66 R67
1-Butanol	<2	71-36-3	Not classified

 Hazards Identification (Most Important Hazard) Adverse Human Health Effects

(Ink as a whole)

Adverse Human Health Effects

Contact with eye and skin may result in irritation.

May be harmful if absorbed through the skin.

ENVIRONMENTAL EFFECTS

No know applicable information.

PHYSICAL AND CHEMICAL HAZARDS

No know applicable information.

## 4. First-Aid Measures

Inhalation

Remove subject to ventilated fresh air. Consult physician if necessary.

Skin Contact

Wash thoroughly with soap and water. Eye Contact Try to remove with eye drops or flush with water. If unsuccessful, get medical attention. Ingestion

Wash mouth with water and get medical advice.

## 5. Fire-Fighting Measures

Flash point for the ink and method

Method: Cleveland (Open)

Upper and lower flammable (explosive) limits in air

Not yet determined.

Hazardous combustion products

Carbon oxides, nitrogen oxides in fire

## Extinguishing Media

Water, CO<sub>2</sub>, Dry Chemical and others

## Specific Method

No special fire protecting method is required.

# 6. Accidental Release Measures

## Personal Precautions

Waterless hand cleaners followed by washing with soap and water readily remove product from skin.

## Clean-Up Methods

Spills should be cleaned up with absorbent materials.

Large spills: Dike far ahead of liquid spill for later disposal.

#### **Environment Precautions**

Especially nothing

# 7. Handling and Storage

All employees who handle this ink should be trained to handle safely.

Handling (technical measures, precautions, safe handling material)

Prohibition of dropping and throwing

Storage (technical measures storage conditions, packaging material)

Keep out of reach of children and do not drink ink. Do not store ink in high or freezing temperature.

Keep ink out of direct sunlight. Do not store ink with acids, oxidizing agents or explosives.

Store with container tightly closed. Store containers in a cool, dry location, away from direct sunlight or freezir temperature.

8. Exposure Controls / Personal Protection

# **Respiratory Protections**

None required under normal conditions of use.

Hand Protection

None required under normal conditions of use.

#### Eye Protection

None required under normal conditions of use. Skin and Body Protection None required under normal conditions of use.

9. Physical and Chemical Propert Physical State	ies			
Form: Solvent type ink				
Color: Black				
Odor: Alcohol Odor				
Information				
PH	: No data	Measuring Temperature. (°C	2) :	
Boiling Point (°C)	: Not yet determined			
Flash Point(℃)	: 16.5 degree C			
Melting Point (°C)	: Not yet determined			
Auto Ignition Temperature (°C)	: Not yet determined	Measuring Temperature.	(℃)	
Vapor Pressure (pa)	: Not yet determined		: -	
Vapor Density (AIR=1)				
Density (g / cm 3)	: Not yet determined	Measuring Temperature.	<b>15/4(°</b> ℃)	
Solubility				
Water Solubility (g / L)	: Insolub	le		
Water Solubility Measuring Temp	· (°C) : -			
Other Solvent name	: -			
Other Solvent Solubility (g / L)	: -			
Other Solvent Solubility		Measuring Temperature (℃)	: –	
Octanol / Water Partition Coeffici	ent : Not yet determine	ed		
10. Stability and Reactivity				
Stability				
Stable				
Conditions to Avoid				
Extreme high or low temperatures	3			
Materials to Avoid				
Acid and strong oxidizer can caus	e a reaction.			
Sulfur and sulfur compounds				
Hazardous Decomposition Products				
Carbon oxides, nitrogen oxides in	fire.			
Hazardous polymerization condition				
Will not occur				
11. Toxicological Information				
Acute Toxicity				

Acute Toxicity

Acute Oral Toxicity

: No Data

Sojet Electronics (Xiamen) Co.,Ltd.					
Acute Dermal Toxicity No Data					
Acute Inhalation Toxicity : No Data					
Sensitization					
Acute Skin Irritation	: Irritating				
Acute Eye Irritation	:Irritating				
Acute Allergenic Effects	: Non-sensitization				
Carcinogenicity					
Ames test	: No Data				
12. Ecological Information					
Acute Toxicity for Fish	: Not yet determined				
13. Disposal Consideration					
•	accordance with local, state and federal pollution regulations.				
14. Transport Information					
INTERNATIONAL REGUL	ATIONS				
UN NUMBER	: 1210 (Printing Ink)				
HAZARD CLASS	: Class 3				
PACKAGING GROUP	: II				
15. Regulation Information					
EU Notification: All ingredier	its are listed on EINECS.				
EU classification of ink as a whole is not classified.					
The chemicals that are listed in California Proposition 65 are not contained in this ink.					

16. Other Information

None

The information herein given in good faith and to the best knowledge but no warranty, express or implied, is made.